

Bibliography

- Bartoń, K. A. (2014). MuMIn: multi-model inference.
- Bates, D., Maechler, M., Bolker, B., and Walker, S. (2015). Fitting linear mixed-effects models using *lme4*. *Journal of Statistical Software*, 67(1):1–48.
- Beamonte-Barrientos, R., Velando, A., Drummond, H., and Torres, R. (2010). Senescence of maternal effects: aging influences egg quality and rearing capacities of a long-lived bird. *The American Naturalist*, 175(4):469–480.
- Beissinger, S. R. and Westphal, M. I. (1998). On the use of demographic models of population viability in endangered species management. *Journal of Wildlife Management*, 62(3):821–841.
- Brooks, M. E., Kristensen, K., Benthem, K. J. v., Magnusson, A., Berg, C. W., Nielsen, A., Skaug, H. J., Machler, M., and Bolker, B. M. (2017). glmmTMB balances speed and flexibility among packages for zero-inflated generalized linear mixed modeling. *The R Journal*, 9(2):378–400.
- Burnham, K. P. and Anderson, D. R. (2002). *Model selection and multimodel inference: a practical information-theoretic approach*. Springer-Verlag New York, Inc., New York, New York, USA.
- Caswell, H. (1989). Analysis of life table response experiments i. decomposition of effects on population growth rate. *Ecological Modelling*, 46(3-4):221–237.
- Caswell, H. (2001). *Matrix population models: construction, analysis, and interpretation*. Sinauer Associates, Inc., Sunderland, Massachusetts, USA, second edition edition.
- Caswell, H. (2010). Life table response experiment analysis of the stochastic growth rate. *Journal of Ecology*, 98(2):324–333.
- Caswell, H. (2019). *Sensitivity analysis: matrix methods in demography and ecology*. Demographic Research Methods. Springer Nature, Cham, Switerland.
- Caswell, H. and Salguero-Gómez, R. (2013). Age, stage and senescence in plants. *Journal of Ecology*, 101(3):585–595.
- Caswell, H., Vries, C. d., Hartemink, N., Roth, G., and Daalen, S. F. v. (2018). Age \times stage-classified demographic analysis: a comprehensive approach. *Ecological Monographs*, 88(4):560–584.
- Childs, D. Z., Rees, M., Rose, K. E., Grubb, P. J., and Ellner, S. P. (2003). Evolution of complex flowering strategies: an age- and size-structured integral projection model. *Proceedings Of The Royal Society Of London Series B-Biological Sciences*, 270(1526):1829–1838.
- Crone, E. E., Ellis, M. M., Morris, W. F., Stanley, A., Bell, T., Bierzychudek, P., Ehrlén, J., Kaye, T. N., Knight, T. M., Lesica, P., Oostermeijer, G., Quintana-Ascencio, P. F., Ticktin, T., Valverde, T., Williams, J. L., Doak, D. F., Ganesan, R., McEachern, K., Thorpe, A. S., and Menges, E. S. (2013). Ability of matrix models to explain the past and predict the future of plant populations. *Conservation Biology*, 27(5):968–978.

- Dahlgren, J. P. and Ehrlén, J. (2011). Incorporating environmental change over succession in an integral projection model of population dynamics of a forest herb. *Oikos*, 120(8):1183–1190.
- Davison, R., Jacquemyn, H., Adriaens, D., Honnay, O., de Kroon, H., and Tuljapurkar, S. (2010). Demographic effects of extreme weather events on a short-lived calcareous grassland species: stochastic life table response experiments. *Journal of Ecology*, 98(2):255–267.
- Davison, R., Nicole, F., Jacquemyn, H., and Tuljapurkar, S. (2013). Contributions of covariance: decomposing the components of stochastic population growth in *Cypripedium calceolus*. *The American Naturalist*, 181(3):410–420.
- Davison, R., Stadman, M., and Jongejans, E. (2019). Stochastic effects contribute to population fitness differences. *Ecological Modelling*, 408:108760.
- Descamps, S., Boutin, S., Berteaux, D., and Gaillard, J.-M. (2008). Age-specific variation in survival, reproductive success and offspring quality in red squirrels: evidence of senescence. *Oikos*, 117(9):1406–1416.
- deVries, C. and Caswell, H. (2018). Demography when history matters: construction and analysis of second-order matrix population models. *Theoretical Ecology*, 11(2):129–140.
- Doak, D. F., Waddle, E., Langendorf, R. E., Louthan, A. M., Isabelle Chardon, N., Dibner, R. R., Keinath, D. A., Lombardi, E., Steenbock, C., Shriver, R. K., Linares, C., Begoña Garcia, M., Funk, W. C., Fitzpatrick, S. W., Morris, W. F., and DeMarche, M. L. (2021). A critical comparison of integral projection and matrix projection models for demographic analysis. *Ecological Monographs*, 91(2):e01447. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1002/ecm.1447>.
- Dogra, H. and Dani, K. G. S. (2019). Defining features of age-specific fertility and seed quality in senescing indeterminate annuals. *American Journal of Botany*, 106(0):604–610.
- Easterling, M. R., Ellner, S. P., and Dixon, P. M. (2000). Size-Specific Sensitivity: Applying a New Structured Population Model. *Ecology*, 81(3):694–708.
- Ehrlén, J. (1995). Demography of the perennial herb *Lathyrus vernus*. I. Herbivory and individual performance. *Journal of Ecology*, 83(2):287–295. Publisher: [Wiley, British Ecological Society].
- Ehrlén, J. (2000). The dynamics of plant populations: does the history of individuals matter? *Ecology*, 81(6):1675–1684.
- Ehrlén, J. (2002). Assessing the lifetime consequences of plant-animal interactions for the perennial herb *Lathyrus vernus* (Fabaceae). *Perspectives in Plant Ecology, Evolution and Systematics*, 5(3):145–163.
- Ehrlén, J. and Eriksson, O. (1996). Seedling recruitment in the perennial herb *Lathyrus vernus*. *Flora*, 191(4):377–383.
- Ehrlén, J. and Lehtila, K. (2002). How perennial are perennial plants? *Oikos*, 98:308–322.
- Ehrlén, J. and Munzbergova, Z. (2009). Timing of flowering: opposed selection on different fitness components and trait covariation. *The American Naturalist*, 173(6):819–830.
- Ehrlén, J. and Van Groenendael, J. (2001). Storage and the delayed costs of reproduction in the understory perennial *Lathyrus vernus*. *Journal of Ecology*, 89(2):237–246.
- Ellner, S. P. and Rees, M. (2006). Integral projection models for species with complex demography. *American Naturalist*, 167(3):410–428.

- Garcia, M. B., Dahlgren, J. P., and Ehrlén, J. (2011). No evidence of senescence in a 300-year-old mountain herb. *Journal of Ecology*, 99(6):1424–1430.
- Greenwood, M. (1938). The first life table. *Notes and Records of the Royal Society of London*, 1(2):70–72. Publisher: Royal Society.
- Honnay, O., Coart, E., Butaye, J., Adriaens, D., van Glabeke, S., and Roldan-Ruiz, I. (2006). Low impact of present and historical landscape configuration on the genetics of fragmented *Anthyllis vulneraria* populations. *Biological Conservation*, 127(4):411–419. Publisher: Elsevier.
- Jenks, G. F. (1967). The data model concept in statistical mapping. *International Yearbook of Cartography*, 7:186–190.
- Jensen, A. (1995). Simple density-dependent matrix model for population projection. *Ecological Modelling*, 77(1):43–48. Publisher: Elsevier.
- Kendall, B. E., Fujiwara, M., Diaz-Lopez, J., Schneider, S., Voigt, J., and Wiesner, S. (2019). Persistent problems in the construction of matrix population models. *Ecological Modelling*, 406:33–43.
- Krauss, J., Steffan-Dewenter, I., and Tschardtke (2004). Landscape occupancy and local population size depends on host plant distribution in the butterfly *Cupido minimus*. *Biological Conservation*, 120(3):355–361. Publisher: Elsevier.
- Lefkovich, L. (1965). The study of population growth in organisms grouped by stages. *Biometrics*, 21(1):1–18.
- Leslie, P. H. (1945). On the use of matrices in certain population mathematics. *Biometrika*, 33(3):183–212. Publisher: [Oxford University Press, Biometrika Trust].
- Leslie, P. H. (1959). The properties of a certain lag type of population growth and the influence of an external random factor on a number of such populations. *Physiological Zoology*, 32(3):151–159. Publisher: The University of Chicago Press.
- Merow, C., Dahlgren, J. P., Metcalf, C. J. E., Childs, D. Z., Evans, M. E. K., Jongejans, E., Record, S., Rees, M., Salguero-Gómez, R., and McMahon, S. M. (2014). Advancing population ecology with integral projection models: a practical guide. *Methods in Ecology and Evolution*, 5(2):99–110.
- Metcalf, C. J. E., McMahon, S. M., Salguero-Gómez, R., and Jongejans, E. (2013). IPMPack: an R package for integral projection models. *Methods in Ecology and Evolution*, 4(2):195–200.
- Morris, W. F. and Doak, D. F. (2002). *Quantitative conservation biology: theory and practice of population viability analysis*. Sinauer Associates, Inc., Sunderland, Massachusetts, USA.
- Piessens, K., Adriaens, D., Jacquemyn, H., and Honnay, O. (2009). Synergistic effects of an extreme weather event and habitat fragmentation on a specialised insect herbivore. *Oecologia*, 159(1):117–126.
- Salguero-Gómez, R. and Casper, B. B. (2010). Keeping plant shrinkage in the demographic loop. *Journal of Ecology*, 98:312–323.
- Salguero-Gómez, R., Jones, O. R., Archer, C. R., Buckley, Y. M., Che-Castaldo, J., Caswell, H., Hodgson, D., Scheuerlein, A., Conde, D. A., Brinks, E., de Buhr, H., Farack, C., Gottschalk, F., Hartmann, A., Henning, A., Hoppe, G., Römer, G., Runge, J., Ruoff, T., Wille, J., Zeh, S., Davison, R., Viereg, D., Baudisch, A., Altwegg, R., Colchero, F., Dong, M., de Kroon, H., Lebreton, J.-D., Metcalf, C. J. E., Neel, M. M., Parker, I. M., Takada, T., Valverde, T., Vélez-Espino, L. A., Wardle, G. M., Franco, M., and Vaupel, J. W. (2015). The Compadre Plant Matrix Database: an open online repository for plant demography. *Journal of Ecology*, 103(1):202–218.

- Shefferson, R. P., Kull, T., Hutchings, M. J., Selosse, M.-A., Jacquemyn, H., Kellett, K. M., Menges, E. S., Primack, R. B., Tuomi, J., Alahuhta, K., Hurskainen, S., Alexander, H. M., Anderson, D. S., Brys, R., Brzosko, E., Dostálík, S., Gregg, K. B., Ipser, Z., Jäkäläniemi, A., Jersáková, J., Kettle, W. D., McCormick, M. K., Mendoza, A., Miller, M. T., Moen, A., Øien, D.-I., Püttsepp, ., Roy, M., Sather, N., Sletvold, N., Štipková, Z., Tali, K., Warren II, R. J., and Whigham, D. F. (2018). Drivers of vegetative dormancy across herbaceous perennial plant species. *Ecology Letters*, 21(5):724–733.
- Shefferson, R. P., Kurokawa, S., and Ehrlén, J. (2021). *lefk3*: analysing individual history through size-classified matrix population models. *Methods in Ecology and Evolution*, 12(2):378–382. _eprint: <https://besjournals.onlinelibrary.wiley.com/doi/pdf/10.1111/2041-210X.13526>.
- Shefferson, R. P., Mizuta, R., and Hutchings, M. J. (2017). Predicting evolution in response to climate change: the example of sprouting probability in three dormancy-prone orchid species. *Royal Society Open Science*, 4(1):160647.
- Shefferson, R. P., Sandercock, B. K., Proper, J., and Beissinger, S. R. (2001). Estimating dormancy and survival of a rare herbaceous perennial using mark-recapture models. *Ecology*, 82(1):145–156.
- Shefferson, R. P., Warren II, R. J., and Pulliam, H. R. (2014). Life history costs make perfect sprouting maladaptive in two herbaceous perennials. *Journal of Ecology*, 102(5):1318–1328.
- van den Broek, J. (1995). A score test for zero inflation in a Poisson distribution. *Biometrics*, 51(2):738–743.
- Wardle, G. M. (1998). A graph theory approach to demographic loop analysis. *Ecology*, 79(7):2539–2549.
- Yee, T. W. (2015). Vector Generalized Linear and Additive Models: With an Implementation in R.
- Yee, T. W. and Wild, C. (1996). Vector generalized additive models. *Journal of the Royal Statistical Society, Series B*, 58(3):481–493.
- Zeileis, A., Kleiber, C., and Jackman, S. (2008). Regression models for count data in R. *Journal of Statistical Software*, 27(1):1–25. Number: 1.